

BLUESTONE PRODUCTS™
A TCC Materials Company
2025 Centre Pointe Boulevard
Mendota Heights, MN 55120-1221

Emergency Telephone Number: 651-688-9116
Information Telephone Number

Revision Date
December 2020

651-905-8137

Section 1: Product Identification

Product Type: Latex additive/adhesive

Product Name:

ProSpec® Level-Flo Primer Pro

Section 2: Hazard Identification

Product poses little hazard in ordinary use. Some eye irritation may occur from direct contact.

This product has been evaluated according to GHS and 29CFR1910.1200, Appendix A. it is not classified as hazardous under those criteria, and does not require any pictogram, signal word, hazard statements or precautionary statements.

HMIS® Rating: Health: 0 Fire: 0 Reactivity: 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme HMIS® is a registered trademark of the National Paint and Coatings Association

Section 3: Hazardous Ingredients/Composition

Chemical Name	CAS#	Typical Percentage	Classification	Noto
i Chemicai Name	1 CAS#	Typical Percentage	Classification	l Note

^{*}Specific chemical identity withheld as trade secret. It is available upon request to health professionals, employees and their designated representatives in accord with 29CFR1910.1200(i). See Section 8 for exposure limit guidelines.

Section 4: First Aid Measures

Inhalation:

Unlikely to be an inhalation hazard. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.

Eye contact:

Hold eyelids apart and flush eyes with plenty of water. If any irritation persists, get medical attention.

Skin Contact:

Wash off with soap and water.

Ingestion:

Do not induce vomiting unless directed to do so by medical personnel. Seek medical attention if symptoms develop. Provide medical care with this SDS.



Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

Symptoms of overexposure: Direct contact may cause some eye irritation. Repeated or extensive contact may cause skin irritation and drying.

Note to physician: Treat according to symptoms. No known specific antidote.

Section 5: Fire Fighting Measures

Fire extinguishing media: Appropriate for surrounding materials (carbon dioxide, water spray, dry chemical, foam).

Special fire-fighting procedures: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

Unusual fire and explosion hazards: There is a possibility of pressure buildup in closed containers when heated. Water spray may be used to cool the containers.

Hazardous combustion products: Carbon monoxide, carbon dioxide.

Section 6: Accidental Release Measures

Special protection: No adverse health effects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section 8 of this MSDS.

Methods for clean-up: Contain and soak up with absorbent material, and transfer to containers for disposal. Clean area with water and floor cleaner appropriate for the flooring. Spilled material may be very slippery. Keep spilled material out of sewers, watersheds, or water systems.

Section 7: Handling and Storage

Handling: No special handling instructions due to toxicity. Wash hands after use. Do not eat, drink, or use tobacco products when handling any chemical products.

Storage: To protect the product, keep from freezing or excessive heat. Keep container tightly closed.



Safety Data Sheet Level-Flo[™] Primer Pro

©TCC Materials Version 1.1

Section 8: Exposure Controls/Personal Protection

Occupational Exposure Limits:

Chemical Name	OSHA PEL	OSHA 1989 PEL*	ACGIH TLV
No data available			

Engineering Controls:

No special measures are needed under normal conditions of use. Local exhaust ventilation is not required.

Personal protective equipment

Respiratory protection: Not required under conditions of normal use. Respirators should be selected by and used flowing requirements found in OSHA's respirator standards (29 CFR 1910.134)

Skin protection: Not normally considered a skin hazard. When use can result in skin contact, practice good personal hygiene. Gloves not normally required. Wear water-impermeable gloves such as nitrile, PVC, or natural rubber gloves if conditions warrant.

Eye protection: Wear eye protection (safety glasses with side shields should be adequate).

Section 9: Physical and Chemical Properties

Physical State: liquid

Color: milky white

Odor: slightly sweet odor Odor Threshold: not established

pH: 7-9

Flash point: noncombustible

Flammability: not a flammable solid or gas

Boiling Point: not established **Freezing point:** ~ 32°F (estimated)

Weight per Gallon: 8.60 lbs. Specific Gravity: 1.03 Solids (% by weight) 46-50

Solubility: not established Evaporation rate: not established Vapor pressure: not established

% **VOC**: 0.00

Section 10: Stability and Reactivity

Stability: Stable under normal conditions.

Conditions to avoid: None known.
Chemical Incompatibility: Not established.



Hazardous polymerization: Will not occur.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11: Toxicological Information

Component Toxicity / Toxicology Data:

This product is a mixture, not considered acutely toxic.

No ingredients are listed as carcinogenic according to IARC, ACGIH, NTP, or OSHA.

No ingredients are considered sensitizers or mutagens.

No organs are known to be damaged from exposure to this product.

Section 12: Ecological Information

Ecotoxicity: Product as a whole has not been tested.

Persistence and degradability: No data available.

Mobility in soil: No data available.

Bioaccumulation: No data available.

Section 13: Disposal Considerations

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CRF 261.

Do not dump on the ground.

Solidify and dispose of in an approved landfill.

Dispose of in accordance with federal, state, and local regulations.

Section 14: Transportation

Not a DOT-regulated hazardous material. Not classified as dangerous goods for DOT, IATA. IMDG. TDG.

Section 15: Regulatory Information

Inventory Status:

U.S. EPA TSCA: This product is in compliance with the Toxic Substances

Control Act's Inventory requirements.

Canadian CEPA DSL: The components of this product are included on the DSL or

are exempt from DSL requirements.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at info@tccmaterials.com to request an export review.



This product does not contain 0.1% or more of any

· Chemicals regulated under:

CERCLA SARA 302 EHS SARA 313 SARA 311/312

- Hazardous Air Pollutants.
- Chemicals known to the state of California to cause cancer or reproductive effects. (California Proposition 65.)
- Chemicals listed on the New Jersey Right to Know Hazardous Substance List.

Section 16: Other Information

Additional information on the product is available at. www.tccmaterials.com

Bluestone Products™ a TCC Materials® company is a licensed manufacturer of ProSpec®

ProSpec® is a trademark of H.B. Fuller Construction Products Inc.

Date of Preparation: December 6, 2017

Version: 1.1

Date of Revision: December 1, 2020

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. Before using any product, read its label and safety data sheet.