

©Roberts Concrete Products (a TCC Materials company)
Version 1.1

Roberts Concrete Products 2025 Centre Pointe Boulevard, Suite 300 Mendota Heights, MN 55120-1221 **Emergency Telephone Number:** 651-688-9116

Information Telephone Number

651-688-9116

Revision Date

December 2017

Section 1: Product Identification

Product Identifier: Product Form; Mixture. Adhesive.

Product Name:

SAKRETE Concrete Glue

Section 2: Hazard Identification

Product poses little hazard in ordinary use. Eye and skin irritation may occur from direct contact.

Warning: Do not ingest. Causes eye and skin irritation. Harmful to aquatic life.

This product has been evaluated according to GHS and 29CFR1910.1200, Appendix A. It is categorized as a Health Hazard – Skin Irritant Category 3 and Eye Irritant – Category 2B. It is classified as Hazardous to the Aquatic Environment – Category 3.

HMIS® Rating: Health: 0 Fire: 0 Reactivity: 0

HMIS® is a registered trademark of the National Paint and Coatings Association

Rating is based on potential for ethanol.

Section 3: Hazardous Ingredients/Composition

| Ingredient | Typical Percentage | CAS# |
|---------------------|--------------------|-----------|
| Water | 35-65% | 7732-18-5 |
| Acrylic copolymer | 25-35% | * |
| Nonionic surfactant | <3% | * |

^{*}Specific chemical identities withheld as trade secret. It is available upon request to health professionals, employees and their designated representatives in accord with 29CFR1910.1200(i).

Section 4: First Aid Measures

Inhalation:

Unlikely to be an inhalation hazard.

Eve contact:

© TCC Materials Page 1 of 5



©Roberts Concrete Products (a TCC Materials company)
Version 1.1

Hold eyelids apart and flush eyes with plenty of water. At least fifteen minutes of flushing is recommended for any chemical contact. If any irritation persists, get medical attention.

Skin Contact:

Wash off with soap and water.

Ingestion:

Check with the Poison Control Center or a doctor. Do not induce vomiting. **Symptoms of overexposure:** Direct contact can cause eye irritation. Repeated or extensive contact can cause skin irritation. May cause nose and throat irritation if misted, but not a likely route of exposure.

Note to physician: Treat according to symptoms. No known specific antidote.

Section 5: Fire Fighting Measures

Fire extinguishing media: Appropriate for surrounding materials (carbon dioxide, water spray, dry chemical, foam).

Special fire fighting procedures: None.

Unusual fire and explosion hazards: None expected.

Hazardous combustion products: Carbon monoxide, carbon dioxide, carbon products such as acrylates from incomplete combustion.

Section 6: Accidental Release Measures

Contain and soak up with absorbent material. Clean area with water.

Section 7: Handling and Storage

To protect the product, keep from freezing or excessive heat. May coagulate if frozen or after extended storage. Can develop a bacterial odor after extended storage. Keep container tightly closed.

Wash hands after use.

Do not eat, drink, or use tobacco products when handling any chemical products.

Section 8: Exposure Controls/Personal Protection

Occupational Exposure Limits:

None established

(No OSHA PEL. No ACGIH TLV®. No NIOSH REL)

Engineering Controls:

No special measures are needed.

Local exhaust ventilation is not required.

© TCC Materials Page 2 of 5



©Roberts Concrete Products (a TCC Materials company)
Version 1.1

Personal protective equipment

Respiratory protection: Not required under conditions of normal use.

Skin protection: Wear water-impermeable gloves such as neoprene, nitrile, PVC, or natural rubber gloves, particularly for prolonged contact. Use face shield if splashing is

likely.

Eye protection: Wear chemical safety goggles if eye contact may be likely.

Section 9: Physical and Chemical Properties

Appearance and odor: Milky white liquid, mild odor (similar to latex paint).

Flash point: Noncombustible.

Flammable limits: N/A

Boiling Point: 212°F (estimated) **Freezing point:** ~ 32°F (estimated)

Specific Gravity: 1.05

Solubility in water: Miscible.

pH: 7-8

Evaporation rate (butyl acetate = 1): <1 (equivalent to water)

Section 10: Stability and Reactivity

Stability: Stable.

Conditions to avoid: None known.
Incompatibility: Strong oxidizing agents.
Hazardous polymerization: Will not occur.

Hazardous decomposition products: None likely unless material is in a fire.

Section 11: Toxicological Information

Not considered acutely toxic.

No ingredients are listed as carcinogenic according to IARC, ACGIH, NTP, or OSHA. Not a sensitizer.

For acrylic copolymer:

Oral LD50 (rat): >2000 mg/kg (similar material) Dermal LD50 (rat): >2000 mg/kg (similar material)

Aquatic toxicity for acrylic copolymer + surfactant (species not specified) LC50 >100 mg/L

© TCC Materials Page 3 of 5



©Roberts Concrete Products (a TCC Materials company)
Version 1.1

For nonionic surfactant:

Oral LD50 (rat): 4000 mg/kg

LC50 for fish (Bluegill): >10 mg/L (96 hours)

LC50 for Mysid shrimp = 0.26 mg/L

Based on toxicity to shrimp, classify as Hazardous to the Aquatic Environment, Category 3.

Applicable hazard statements:

H316. Causes mild skin irritation.

H320 Causes eye irritation.

H402: Harmful to aquatic life.

Applicable Precautionary Statements

P332+P313: If skin irritation occurs, get medical attention.

P264: Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists,: Get medical attention.

P273: Avoid uncontrolled release to the environment.

P501: Dispose of contents in accordance with local, state, and federal regulations.

Section 12: Ecological Information

Ecotoxicity Product as a whole has not been tested. Material similar to acrylic copolymer/surfactant was practically nontoxic to aquatic organisms, but surfactant alone was highly toxic to Mysid shrimp.

Persistence and degradability: Not likely to biodegrade.

Mobility in soil: No information available.

Bioaccumulation: Based on ingredients, not likely to bioaccumulate.

Section 13: Disposal Considerations

Do not sewer or dump on the ground.

As provided, not a RCRA-regulated waste.

Dispose of in accordance with federal, state, and local regulations.

© TCC Materials Page 4 of 5



©Roberts Concrete Products (a TCC Materials company)
Version 1.1

Section 14: Transportation

Not a DOT-regulated hazardous material. Not classified as dangerous goods for DOT, IATA, IMDG, TDG.

Section 15: Regulatory Information

This product does not contain 0.1% or more of any

• chemicals regulated under:

CERCLA SARA 302 EHS SARA 311/312 SARA 313

- Hazardous Air Pollutants.
- Chemicals known to the state of California to cause cancer or reproductive effects.
- Chemicals on the New Jersey Right to Know Hazardous Substance List.

Section 16: Other Information

Additional information on the products is available at. www.tccmaterials.com

Date of Preparation: December 6, 2017

Version: 1.1

Roberts Concrete Products[®], a TCC Materials[®] company, is a licensed manufacturer of SAKRETE[®]

SAKRETE® is a registered trademark of SAKRETE of North America, LLC.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

© TCC Materials Page 5 of 5