

|                              | PORTLAND LIME & SAND MORTAR  | STONE VENEER MORTAR  | INTEGRAL WATER REPELLANT MORTAR   | UNDERGROUND UTILITY MORTAR  | PORTLAND CEMENT LIME   | SET ACCELERATED MORTAR   |
|------------------------------|--|--|---|---|--|--|
|                              |  |  |   |   |  |  |
| <b>USES &amp; ADVANTAGES</b> | <ul style="list-style-type: none"> <li>• Super bond</li> <li>• Great board life</li> <li>• Water retention</li> </ul>  | <ul style="list-style-type: none"> <li>• Air entrained</li> <li>• Superior bond</li> <li>• Great board life</li> </ul>                                       | <ul style="list-style-type: none"> <li>• Water reppellant</li> <li>• Superior bond</li> <li>• Great board life</li> <li>• Water retention</li> <li>• Reduces efflorescence</li> </ul> | <ul style="list-style-type: none"> <li>• Air entrained</li> <li>• High strength</li> <li>• Excellent freeze-thaw resistance</li> <li>• Superior bond</li> <li>• Great board life</li> </ul> | <ul style="list-style-type: none"> <li>• Superior bond</li> <li>• Water retention</li> <li>• Add sand at job site</li> </ul>         | <ul style="list-style-type: none"> <li>• Set accelerated</li> <li>• Meets ASTM C 1384</li> <li>• Superior bond</li> <li>• Great board life</li> </ul>        |
| <b>COVERAGE</b>              | <ul style="list-style-type: none"> <li>• One 80lb. bag will yield .7 cubic feet of wet mortar</li> <li>• 12 CMUs (8")</li> <li>• 35 modular brick</li> </ul> | <ul style="list-style-type: none"> <li>• One 80lb. bag will yield .7 cubic feet of wet mortar</li> <li>• 12 CMUs (8")</li> <li>• 35 modular brick</li> </ul> | <ul style="list-style-type: none"> <li>• One 80lb. bag will yield .7 cubic feet of wet mortar</li> <li>• 12 CMUs (8")</li> <li>• 35 modular brick</li> </ul>                          | <ul style="list-style-type: none"> <li>• One 80lb. bag will yield .7 cubic feet of wet mortar</li> <li>• 12 CMUs (8")</li> <li>• 35 modular brick</li> </ul>                                | <ul style="list-style-type: none"> <li>• Add 3 cu. ft. of sand to this 70lb. bag to lay 40 CMUs (8") or 140 modular brick</li> </ul> | <ul style="list-style-type: none"> <li>• One 80lb. bag will yield .7 cubic feet of wet mortar</li> <li>• 12 CMUs (8")</li> <li>• 35 modular brick</li> </ul> |
| <b>APPLICATION</b>           |  |  |   |   |  |  |
| Interior & Exterior          | X  | X  | X   | X   | X  | X  |
| Brick, Stone or CMUs         | X  | X  | X   | X   | X  | X  |
| Below Grade                  | X  | X  | X   | X   | X  | X  |
| Reduce Efflorescence         |  |  | X   |   |  |  |
| Type M, S, N                 | X  | X  | X   | X   | X  | X  |
| Colored Mortar               | X  | X  | X   | X   | X  | X  |
| Tuck Pointing & Patching     | X  | X  | X   | X   | X  | X  |
| Air Entrained Mortar         |  | X  |   | X   |  |  |
| Meets ASTM C270 Spec         | X  | X  | X   | X   | X  | X  |
| Pre-Blended: Just Add Water  | X  | X  | X   | X   |  | X  |
| Load Bearing Application     | X  |  | X   | X   | X  | X  |
| Non-Load Application         | X  | X  | X   |   | X  | X  |