

Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

TCC Materials

2025 Centre Pointe Boulevard, Suite 300 Mendota Heights, MN 55120-1221

Emergency Telephone Number:

651-688-9116

Information Telephone Number:

651-905-8137

Revision Date

December 2018

Section 1: Product Identification

Product Type: Tile Grout Additive

Product Name:

Tech-Mix® Grout Finish Ease

Chemical name: Proprietary emulsion Recommended use: Waterproofing sealer

Section 2: Hazard Identification

Classification of the Chemical:

Hazard Class:

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation: Category 2
Serious eye damage/eye irritation: Category 2A

Label Elements Hazard Pictogram:



Signal Word: Warning

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

Appearance: Clear.
Physical State: Liquid.
Odor: Pleasant.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.



Safety Data Sheet
Tech-Mix® Grout Finish Ease
© TCC Materials
Version 1.0

Wear eye/face protection.

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label).

Eyes

<u>IF IN EYES:</u> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements – Storage: None

Precautionary Statements – Disposal: None

Hazards not otherwise classified: Not applicable

Unknown Toxicity

2% of the mixture consists of ingredient(s) of unknown toxicity.

Other information

No information available.

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

Section 3: Hazardous Ingredients/Composition

Ingredient	Typical Percentage	CAS#
Proprietary ingredients	1-5%	Proprietary*
Proprietary ingredients	0.1-1%	Proprietary*

^{*}Specific chemical compositions withheld as trade secret. They are available upon request to health professionals, employees and their designated representatives in accord with 29CFR1910.1200(i).



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

Section 4: First Aid Measures

Description of the First Aid Measure General Advice:

Show this safety data sheet to the doctor in attendance.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin Contact:

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation:

Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion:

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most Important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects:

Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physician: Treat according to symptoms.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

Uniform Fire Code: Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact: No. Sensitivity to Static Discharge: No.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up:

Soak up with inert absorbent material (e.g. sand, vermiculite). Pick up and transfer to properly labeled containers. Dispose in proper receptacle.

Section 7: Handling and Storage

Precautions for Safe Handling Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Keep out of the reach of children and animals.

Conditions for safe storage, including any incompatibilities



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

Storage:

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not puncture.

Incompatible Products:

Strong acids. Strong oxidizing agents. Strong bases.

Section 8: Exposure Controls/Personal Protection

Control Parameters:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
ingredient	TWA: 3 ppm	TWA: 6 mg/m ³	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m ³
		(vacated) TWA: 8 mg/m ³	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m ³
		(vacated) STEL: 15 mg/m ³	
Proprietary	STEL: 1000	TWA: 1000 ppm	IDLH: 3300 ppm
ingredient	ppm	TWA: 1900 mg/m ³	10% LEL
		(vacated) TWA: 1000 ppm	TWA: 1000 ppm
		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines:

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures:

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection:

If splashes are likely to occur. Wear safety glasses with side shields (or goggles). None required for consumer use.



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

Skin and Body Protection:

Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Respiratory Protection:

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands after use. Launder contaminated clothing before re-use.

Section 9: Physical and Chemical Properties

Physical State: Liquid. Clear. Appearance: Odor: Pleasant.

Odor Threshold: no data available. Color: milky white to clear.

8.0 pH value:

Melting point: no data applicable. **Boiling Point:** 100°C / 212°F Flash point: 5001°C / 9034°F **Evaporation Rate:** no data available. Flammability (solid, gas): no data available. **Upper flammability limit:** no data available. Lower flammability limit: no data available. Vapor pressure: no data available. **Specific Gravity:** no data available. Water Solubility: Soluble in water. Solubility in other solvents: no data available. Partition coefficient: n-octanol/water: no data available. **Autoignition temperature:** no data available. **Decomposition temperature:** no data available. **Kinematic viscosity:** no data available. **Dynamic viscosity:** no data available.

Other Information

Explosive properties:

Oxidizing Properties:

Softening Point: no data available.

no data available.

no data available.



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

VOC Content (%): Particle Size No:

no data available. no data available.

Section 10: Stability and Reactivity

Reactivity: No data available.

Stable Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Does not occur.

Conditions to Avoid: None known based on information supplied.

Incompatible Materials: Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products: Carbon oxides.

Section 11: Toxicological Information

Information on Primary routes of exposure:

Product Information:

Inhalation: Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye Contact: Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.

Skin Contact: Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.

Ingestion: Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information:

Chemical Name	Oral LD50	Dermal LD 50	Inhalation LC50
Proprietary	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit)	
ingredient			
Proprietary			= 124.7 mg/L (Rat)
ingredient			4 h



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

Information on toxicological effects

Symptoms: Erythema (skin redness). May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Sensitization: No information available.

Mutagenic Effects: No information available.

Carcinogenicity:

The table below indicates whether each agency has listed any ingredient as a carcinogen. The listed substance(s) has been shown to be carcinogenic in long-term studies only when consumed orally. This is not a relevant route of exposure for this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	A3	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity:

STOT - single exposure:

STOT - repeated exposure:

No information available.

No information available.

Chronic Toxicity: No known effect based on information supplied.

Target Organ Effects: Respiratory system. Eyes. Skin. Central Nervous

System (CNS). Digestive System. Kidney. Liver.

Testes.

Aspiration Hazard: No information available.

Numerical Measures of Toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 86,000.00 mg/kg

ATEmix (dermal): 50,650.00 mg/kg (ATE)

ATEmix (inhalation-dust/mist): 75.00 mg/l



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

ATEmix (inhalation-vapor): 550.00 ATE mix

Section 12: Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret	72h EC50: = 15 mg/L (Desmodesmus subspicatus)	96h LC50: = 3684 mg/L (Brachydanio rerio) 96h LC50: 300 - 1000 mg/L (Lepomis macrochirus) 96h LC50: 114 - 196 mg/L (Oncorhynchus mykiss) 96h LC50: > 200 mg/L (Oncorhynchus mykiss) 96h LC50: = 227 mg/L (Pimephales promelas)	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	48h EC50: = 65 mg/L
Supplier Trade Secret		96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L

Persistence and Degradability: No information available.

Bioaccumulation

Chemical Name	Log Pow
Supplier Trade Secret	-1.91
Supplier Trade Secret	-0.32

Other Adverse Effects: No information available.



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

Section 13: Disposal Considerations

Waste Treatment Methods Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes: 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Supplier Trade Secret	Toxic
	Ignitable

Section 14: Transportation

DOT: NOT REGULATED

Proper Shipping Name: NON REGULATED

Hazard Class: N/A

TDG: Not regulated MEX: Not regulated ICAO: Not regulated IATA: Not regulated

Proper Shipping Name: NON REGULATED

Hazard Class: N/A

IMDG/IMO: Not regulated

Hazard Class: N/A

RID: Not regulated ADR: Not regulated ADN: Not regulated

Section 15: Regulatory Information

International Inventories

TSCA: Complies

DSL: All components are listed either on the DSL or NDSL.



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories:

Acute Health Hazard: Yes
Chronic Health Hazard: No
Fire Hazard: No
Sudden release of pressure hazard: No
Reactive Hazard: No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations California Proposition 65

The state of California requires the following statement (Proposition 65) in regards to this material:



WARNING: Cancer, Developmental Toxicity - www.P65Warnings.ca.gov



Tech-Mix® Grout Finish Ease © TCC Materials Version 1.0

U.S. State Right-to-Know Regulations:

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	X	X	X		X
Supplier Trade Secret		X			

International Regulations:

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Supplier Trade Secret		Mexico: TWA 3 ppm
(1-5)		Mexico: TWA 8 mg/m ³
		Mexico: STEL 6 ppm
		Mexico: STEL 15 mg/m ³
Supplier Trade Secret		Mexico: TWA 1000 ppm
(0.1-1)		Mexico: TWA 1900 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

D2B - Toxic Materials



Section 16: Other Information

NFPA:

Health Hazard	Flammability	Instability	Physical and Chemical Hazards
2	0	0	

HMIS:

Health Hazard	Flammability	Physical Hazard	Personal Protection
2	0	0	X

Additional information on the products is available at: www.techmixpro.com



Safety Data Sheet
Tech-Mix® Grout Finish Ease
© TCC Materials
Version 1.0

Date of Preparation: December 7, 2018

Version: 1.0

Tech-Mix® is a trademark of TCC Materials.

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. Before using any product, read its label and safety data sheet.