

PELLETIZED LIME

pH booster for acidic soil

1. PRODUCT NAME

Pelletized Lime

2. MANUFACTURER

MK Minerals Inc. 1035 Vernon Road Wathena, KS 66090 USA Phone: 1.785.989.4566

3. PRODUCT DESCRIPTION

Pelletized Lime (BOM #103588) helps plant and crop growth by increasing the pH in acidic soil (pH below 7). It improves microbial action to aid the breakdown of pesticides and organic matter. Additionally, it alleviates problems like blossom end rot and aluminum toxicity. It also increases the effective use of other major nutrients, and helps control weed pressure in lawns by boosting the plant's ability to absorb nitrogen and synthesize proteins.

Features & Benefits

- Increases the uptake of Nitrogen for greener lawns and healthier plants
- Neutralizes soil acidity
- Converts nutrients from non-available to available
- Rapid response with predictable results
- · Corrects soil acidity caused by fertilizer application

4. TECHNICAL DATA

Available Size

40 lb. (18.1 kg) bag (BOM #103588)

5. INSTALLATION

Preparation and Application

Read all directions before starting work. A soil test is recommended whenever available. When a soil test is not available, use the below recommendations.

Note: It is the responsibility of the installer/applicator to ensure the suitability of the product for its intended use.

Established Lawns: Apply 10-20 lb. Per 1,000 sq. ft. annually in the spring and fall. Water thoroughly.

New Turf: Apply 40-50 lb. per 1,000 sq. ft. annually in the spring and fall. Water thoroughly.

Shrubs, Gardens and Flowers: Incorporate into top 2" of soil, using 20-40lb per 1,000 sq. ft. Water thoroughly.

Corrective Application: Apply 80-100 lb. per 1/10pH value correction per acre (43,560 sq. ft.). Water thoroughly.

Maintenance Application: Apply 2-4 lb. for each 1 lb. of nitrogen applied. Water thoroughly.

Note: This product is not meant as a fertilizer substitute.

Clean Up

Use soapy water to clean hands and tools immediately after use.

Safety

READ THE SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT. SDS information is available on our website: tccmaterials.com

Cautions

Read complete cautionary information printed on product container prior to use. This Product Data Sheet has been prepared in good faith on the basis of information available at the time of publication. It is intended to provide users with information about and guidelines for the proper use and application of the product(s) under normal environmental and working conditions. Because each project is different, TCC Materials cannot be responsible for the consequences of variations in such conditions, or for unforeseen conditions.

6. AVAILABILITY

To locate TCC Materials products in your area, please contact:

Phone:	651.688.9116
Website:	tccmaterials.com

7. WARRANTY

Seller warrants that its product will conform to and perform in accordance with the product specifications. The foregoing warranty is in lieu of all other warranties, expressed or implied, including, but not limited to those concerning merchantability and fitness for a particular purpose. Because of the difficulty in ascertaining and measuring damages hereunder, it is agreed that, Seller's liability to the Buyer shall not exceed the total amount billed and billable to the Buyer for the product hereunder.

WARNING: INJURIOUS TO EYES

KEEP PLASTIC BAG OUT OF REACH OF CHILDREN



2025 Centre Pointe Blvd., Suite 300 Mendota Heights, MN 55120 USA www.tccmaterials.com ©Copyright 2019 TCC Materials