

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 04/08/2015 Revision date: 10/26/2021 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product name Sakrete Concrete Repair

Sakrete Mortar Repair

Product code Not available

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Sealant

Details of the supplier of the safety data sheet 1.3.

Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383

**Emergency telephone number** 

Emergency number CHEMTREC (800) 424-9300

CHEMTREC International +1 (703) 527-3887 24 hr

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

### **GHS-US** classification

Specific target organ toxicity - Repeated exposure 1

### **Label elements**

### **GHS-US** labelling

Hazard pictograms (GHS-US)



GHS08

Signal word (GHS-US)

Hazard statements (GHS-US) Causes damage to organs through prolonged or repeated exposure.

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not Precautionary statements (GHS-US)

eat, drink or smoke when using this product. Get medical advice/attention if you feel unwell. Dispose of contents and container in accordance with all local, regional, national and

international regulations.

#### Other hazards 2.3.

No additional information available.

# **Unknown acute toxicity (GHS US)**

25 percent of the mixture consists of ingredients of unknown acute toxicity.

# **SECTION 3: Composition/information on ingredients**

### **Substance**

Not applicable.

3.2. **Mixture** 

> EN (English) Page 1



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Name	Product identifier	%	GHS-US classification
Calcium Carbonate	(CAS No) 10001317-65-3	40- 55%	Not classified.
Silica, Crystalline	(CAS No) 0014808-60-7	20-30%	Carc. 2 <sup>1</sup>
Water	(CAS No) 0007732-18-5	10-20%	Flam. Liq. 3 Skin Irrit. 2 Asp. Tox. 1
Acrylic Emulsion	(CAS No) Acrylic Emulsion	10-20%	Acute Tox. 4 (Oral) Eye Irrit. 2B STOT RE 1
2,2,4-Trimethyl-1,3-Pentanediol BIS(2-Methylpro)	(CAS No) 10006846-50-0	0-5%	Carc. 1A <sup>1</sup> STOT RE 1 <sup>1</sup>

<sup>&</sup>lt;sup>1</sup>Only applies to airborne particles of respirable size

### **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures after inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to First-aid measures after eye contact

do, remove contact lenses, if worn. If irritation persists, get medical attention.

: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give First-aid measures after ingestion anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear Symptoms/injuries after eye contact

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

# Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

### **SECTION 5: Firefighting measures**

#### 5.1. **Extinguishing media**

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

### Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

### **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel.

### Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

: Scoop up material and place in a disposal container. Provide ventilation. Methods for cleaning up

### Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

### **SECTION 7: Handling and storage**

### Precautions for safe handling

: Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Do not Precautions for safe handling swallow. Handle and open container with care. When using do not eat, drink or smoke.

01/31/2018 EN (English) 2/1



<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Hygiene measures : Wash hands before eating, drinking, or smoking. Launder contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool area. Keep

from freezing.

### 7.3. Specific end use(s)

Not available.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Limestone (1317-65-3)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

Titanium dioxide (13463-67-7)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)

Stoddard solvent (8052-41-3)		
ACGIH	ACGIH TWA (ppm)	100 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	2900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	500 ppm

Ethylene glycol (107-21-1)		
ACGIH	ACGIH Ceiling (mg/m³)	100 mg/m³ (aerosol only)
OSHA	Not applicable	

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	((10 mg/m3)/(%SiO2+2) TWA (resp)) ((30 mg/m3)/(%SiO2+2) TWA (total)) ((250)/(%SiO2+5) mppcf TWA (resp))

### 8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses with side shields. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Not normally needed. In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Paste-like compound

Colour : Black or grey

Odour : Sweet acrylic with slight ammonia odor

Odour threshold : No data available

pH : 7.5 - 9

01/31/2018 EN (English) 3/1



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1) : < 1

Flammability (solid, gas) : Not flammable
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

Vapour pressure : 25 mm Hg @ 68 °F (20 °C)

Relative density : No data available

Relative vapour density (air = 1) : > 1

Solubility : Dispersible Partition coefficient: n-octanol/water : No data available Log Kow : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity : No data available No data available Viscosity, kinematic Viscosity, dynamic : No data available

### 9.2. Other information

No additional information available.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2. Chemical stability

Stable under normal storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### 10.4. Conditions to avoid

Heat. Incompatible materials.

# 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified.

Sakrete Concrete Repair / Sakrete Mortar Repair		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	No data available	

LC50 innalation rat	No data avallable	
Limestone (1317-65-3)		
LD50 oral rat	6450 ma/ka	

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg

Ethylene glycol (107-21-1)	
LD50 oral rat	4000 mg/kg
LD50 dermal rabbit	9530 μL/kg

Skin corrosion/irritation	:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	:	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	:	Based on available data, the classification criteria are not met.



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Germ cell mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity	: Based on available data, the classification criteria are not met.	

Titanium dioxide (13463-67-7)		
IARC group	2B - Possibly carcinogenic to humans (airborne, unbound particles of respirable size)	
Quartz (14808-60-7)		
IARC group	1 - Carcinogenic to humans (airborne, unbound particles of respirable size)	
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens (airborne, unbound particles of respirable size)	

Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Symptoms/injuries after eye contact May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

: May be harmful if swallowed. May cause stomach distress, nausea or vomiting. Symptoms/injuries after ingestion

### **SECTION 12: Ecological information**

#### 12.1. **Toxicity**

: May cause long-term adverse effects in the aquatic environment. Ecology - general

#### 12.2. Persistence and degradability

Sakrete Concrete Repair / Sakrete Mortar Repair	
Persistence and degradability	Not established.

#### 12.3. **Bioaccumulative potential**

Sakrete Concrete Repair / Sakrete Mortar Repair	
Bioaccumulative potential	Not established.

### 12.4. **Mobility in soil**

No additional information available.

### Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

### Waste treatment methods

: This material must be disposed of in accordance with all local, state, provincial, and federal Waste disposal recommendations regulations. The generation of waste should be avoided or minimized wherever possible.

# **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

In accordance with DOT.

Not regulated for transport.

### **Additional information**

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

01/31/2018

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Ethylene glycol (107-21-1)	
Listed on United States SARA Section 313	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
SARA Section 313 - Emission Reporting	1.0 %

### 15.2. US State regulations

Sakrete Concrete Repair / Sakrete Mortar Repair	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth
	defects or other reproductive harm.

# **SECTION 16: Other information**

Date of issue: : 04/28/2015 Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

