

©Roberts Concrete Products (a TCC Materials company)
Version 1.2

**Roberts Concrete Products** 

2025 Centre Point Boulevard, Suite 300 Mendota Heights, MN 55120-1221

**Emergency Telephone Number:** 

651-688-9116

Information Telephone Number

651-688-9116

**Revision Date** 

May 2018

### **Section 1: Product Identification**

Product Type: Concrete Sealer

#### **Product Name:**

SAKRETE Cure 'N Seal (WB)

#### Section 2: Hazard Identification

No hazards are likely from use of this product.

This product has been evaluated according to GHS and 29CFR1910.1200, Appendix A, and is not classified as a dangerous substance or mixture.

HMIS® Rating: Health: 0 Fire: 1 Reactivity: 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

HMIS® is a registered trademark of the National Paint and Coatings Association

NFPA 704 Rating: Health: 0 Fire: 1 Instability: 0

#### **Section 3: Hazardous Ingredients/Composition**

Ingredient	Typical Percentage*	CAS#
Aqueous acrylic resin	18-32%	nonhazardous
Texanol ester alcohol	1-2%	25265-77-4

<sup>\*</sup>Specific chemical identities and concentrations withheld as trade secret. They are available upon request to health professionals, employees and their designated representatives in accord with 29CFR1910.1200(i).

## Section 4: First Aid Measures

#### Inhalation:

Typically not an inhalation hazard. If any irritation develops, move to fresh air. Evaluate conditions of use.

#### **Eve contact:**

Hold eyelids apart and flush eyes with plenty of water. At least fifteen minutes of flushing is recommended for any chemical contact. If any irritation persists, get medical attention.

#### **Skin Contact:**

Wash off with soap and water.

© TCC Materials Page 1 of 5



©Roberts Concrete Products (a TCC Materials company)

Version 1.2

## Ingestion:

Check with the Poison Control Center or a doctor. Do not induce vomiting unless directed to do so by medical personnel.

**Symptoms of overexposure:** slight eye irritation could develop from direct contact. Note to physician: Treat according to symptoms. No known specific antidote.

## **Section 5: Fire Fighting Measures**

**Fire extinguishing media:** Use extinguisher suitable for surrounding material. For dried material, any Class A fire extinguisher will suffice.

Special fire fighting procedures: none Unusual fire and explosion hazards: None.

Hazardous combustion products: carbon monoxide, carbon dioxide, acrylic

monomers.

#### **Section 6: Accidental Release Measures**

Prevent further leakage or spill if safe to do so. Contain and soak up with absorbent material. Clean area with detergents (avoid solvent cleaners). Floor may be slightly slippery; use any suitable cleaner.

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

## **Section 7: Handling and Storage**

To protect the product, keep from freezing or excessive heat.

Keep container tightly closed.

Wash hands after use.

Do not eat, drink, or use tobacco products when handling any chemical products.

## **Section 8: Exposure Controls/Personal Protection**

Occupational Exposure Limits: None established

#### **Engineering Controls:**

No special ventilation is required

## Personal protective equipment

**Respiratory protection:** Not required under conditions of normal use.

© TCC Materials Page 2 of 5



©Roberts Concrete Products (a TCC Materials company)
Version 1.2

**Hand protection:** Wear any water-impermeable gloves, particularly for prolonged contact.

Eye protection: Safety glasses with side shields are recommended to ensure against

any eye contact.

## **Section 9: Physical and Chemical Properties**

Appearance: milky white liquid

Odor: mild odor

Flash point: >200°F. Dry material could be combustible

Flammable limits: N/A

**Boiling Point:** above 212°F **Melting point:** Not established

Specific Gravity: 1.01

**Density:** 8.4 pounds per gallon

Solubility in water: miscible

Evaporation Rate: not determined. Evaporation rate (butyl acetate = 1): <1 VOC: 0.10 lb/gal

## Section 10: Stability and Reactivity

**Stability**: Stable.

Conditions to avoid: None known.
Incompatibility: Strong oxidizing agents.
Hazardous polymerization: Will not occur.

## **Section 11: Toxicological Information**

Toxicity testing has not been done on product as a whole.

Not considered acutely toxic.

No ingredients are reported as aspiration hazards, reproductive toxicants or germ cell mutagens.

No ingredients are listed as carcinogenic according to IARC, ACGIH, NTP, or OSHA

Texanol ester alcohol

Acute toxicity:

oral rat LD-50: >3200 mg/kg

dermal LD-50, rabbit: >15,200 mg/kg dermal LD-50, quinea pig: >19,000 mg/kg

inhalation LCLo:

© TCC Materials Page 3 of 5



©Roberts Concrete Products (a TCC Materials company)

Version 1.2

rat (6 hour): >2.73 mg/L rat (6 hour): >3.55 mg/L

Repeated dose: NOAEL, rat (gavage, 15 day): 1000 mg/kg

Skin irritation, rabbit, 24 hour: slight Eye irritation, rabbit: TDLo: 100 pph

## Section 12: Ecological Information

Product as a whole has not been tested.

**Ecotoxicity**: Most ingredients are considered practically nontoxic to aquatic organisms.

Persistence and degradability

No information available.

## Mobility in soil:

No information available.

Bioaccumulation: based on ingredients, not likely to bioaccumulate

Toxicity:

Texanol ester alcohol, LC50 (fathead minnow, 96 h): 33 mg/L Texanol ester alcohol, EC50 (water flea, 48 h): 147.8 mg/l

## **Section 13: Disposal Considerations**

Do not sewer or dump on the ground

As provided, not a RCRA-regulated waste.

Dispose of in accordance with federal, state, and local regulations. Dried material may usually be disposed of as industrial solid water.

## **Section 14: Transportation**

Not a DOT-regulated hazardous material. Not classified as dangerous goods for DOT, IATA, IMDG, TDG

## **Section 15: Regulatory Information**

This product does not contain any

- chemicals regulated under: CERCLA SARA 302 EHS
- Hazardous Air Pollutants.

© TCC Materials Page 4 of 5



©Roberts Concrete Products (a TCC Materials company)
Version 1.2

- Chemicals known to the state of California to cause cancer or reproductive effects.
- Chemicals on the New Jersey Right to Know Hazardous Substance List

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### Section 16: Other Information

Additional information on the products is available at. www.tccmaterials.com

Date of Preparation: May 1, 2018

Version: 1.2

Roberts Concrete Products<sup>®</sup>, a TCC Materials<sup>®</sup> company, is a licensed manufacturer of SAKRETE<sup>®</sup>

SAKRETE® is a registered trademark of SAKRETE of North America, LLC.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

© TCC Materials Page 5 of 5