

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 11/27/2018 Revision date: 11/27/2018 Version: 1.0

I. Identification	
Product form	: Mixture
Product name	: Pro-Mix Concrete Repair
.2. Recommended use and restricti	
Recommended use	: Various
	. Valious
.3. Supplier	
Manufacturer Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383	
.4. Emergency telephone number	
Emergency number	: CHEMTREC (800) 424-9300
	CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazard(s) identificati	on
2.1. Classification of the substance of	or mixture
GHS US classification	
Skin Irrit. 2	
Eye Dam. 1	
Carc. 1A	
STOT RE 1	
2.2. GHS Label elements, including p	precautionary statements
GHS US labeling	necaulonaly statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: Causes skin irritation Causes serious eye damage May cause cancer Causes damage to organs (lungs) through prolonged or repeated exposure
Precautionary statements (GHS US)	: Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.
	Wear protective gloves, protective clothing, eye protection, face protection. If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water
	Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
	Immediately call a poison center or doctor Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### **SECTION 3: Composition/Information on ingredients**

# 3.1. Substances Not applicable

## 3.2. Mixtures

Name	Product identifier	%
Quartz	(CAS-No.) 14808-60-7	50 - 60
Cement, portland, chemicals	(CAS-No.) 65997-15-1	10 - <20

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/effects after eye contact	<ul> <li>Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.</li> </ul>
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Immediate medical attention and s	special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECT	ON 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguishing media		
Suitab	le extinguishing media	: Use extinguishing media appropriate for surrounding fire.	
Unsuit	able extinguishing media	: None known.	
5.2.	Specific hazards arising from the cher	nical	
Fire ha	azard	: Products of combustion may include, and are not limited to: oxides of carbon.	
Reacti	vity	: No dangerous reactions known under normal conditions of use.	
5.3.	Special protective equipment and pre-	cautions for fire-fighters	
Protec	tion during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	
SECT	ON 6: Accidental release measu	ires	
6.1.	Personal precautions, protective equi	pment and emergency procedures	
Genera	al measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.	

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

6.3.	Methods and material for containment and cleaning up	
For containment : Contain spill, then place in a suitable container. Minimize dust generation. Do not flusi or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).		: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Metho	ods for cleaning up	: Vacuum or sweep material and place in a disposal container.
6.4.	Reference to other sections	
For fur	ther information refer to section 8: "Ex	posure controls/personal protection"

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not swallow. Avoid contact with skin and eyes. Good housekeeping is important to prevent accumulation of dust. Do not breathe dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep out of the reach of children. Store in dust-tight, dry, labelled containers. Keep container tightly closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m <sup>3</sup> (respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 µg/m³
OSHA	Remark (OSHA)	Table Z-3. For OSHA PEL (TWA) use formula: (30 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
IDLH	US IDLH (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup> (respirable dust)
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable dust)
Cement, portland, chemica	ls (65997-15-1)	
ACGIH	Local name	Portland cement
ACGIH	ACGIH TWA (mg/m³)	1 mg/m <sup>3</sup> (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
ACGIH	Remark (ACGIH)	Pulm func; resp symptoms; asthma
ACGIH	Regulatory reference	ACGIH 2017
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
OSHA	OSHA PEL (TWA) (ppm)	50 mppcf
OSHA	Remark (OSHA)	Table Z-3. CAS No. source: eCFR Table Z-1.
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
IDLH	US IDLH (mg/m <sup>3</sup> )	5000 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)

8.2. Appropriate engineering controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Environmental exposure controls	: Avoid release to the environment.

### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable waterproof gloves

#### Eye protection:

Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

#### Skin and body protection:

Wear suitable waterproof protective clothing

#### **Respiratory protection:**

A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	chemical properties
Physical state	: Solid
Appearance	: Powder
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: 12 - 13
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

VOC content, wt. %: 0%, Not applicable

 SECTION 10: Stability and reactivity

 10.1.
 Reactivity

 10.1.
 Reactivity

 No dangerous reactions known under normal conditions of use.
 10.2.

 10.2.
 Chemical stability

 Stable under normal conditions. Keep dry in storage.
 10.3.

 10.3.
 Possibility of hazardous reactions

 No dangerous reactions known under normal conditions of use.
 10.3.

### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

### 10.4. Conditions to avoid

Incompatible materials. Moisture.

### 10.5. Incompatible materials

Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information		
11.1. Information on toxicological e	iffects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 12 - 13	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: 12 - 13	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Quartz (14808-60-7)		

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Causes damage to organs (lungs) through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting i permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/effects after eye contact	: Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
ECTION 12: Ecological information	
2.1. Toxicity	
Easterne and	. No sector to the sector of t

Ecolog	ıy - general	: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.
12.2.	Persistence and degradability	

Pro-Mix Concrete Repair	
Persistence and degradability	Not established.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.3. Bioaccumulative potential		
Pro-Mix Concrete Repair		
Bioaccumulative po	otential	Not established.
12.4. Mobility in	soil	
No additional informat	ion available	
12.5. Other adve	rse effects	
Other information		: No other effects known.
SECTION 13: Dis	posal considerations	
13.1. Disposal m		
Product/Packaging d	lisposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations.
<b>SECTION 14: Tra</b>	Insport information	
Department of Tran	sportation (DOT)	
In accordance with D	OT	
Not regulated		
SECTION 45, Ba	aulotory information	
	gulatory information	
15.1. US Federal regulations		
All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.		
15.2. International re	gulations	
No additional informat	ion available	
15.3. US State regula	tions	
	This product can expose you to Quartz, which is known to the State of California to cause cancer, and Methyl alcohol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.	
SECTION 16: Oth	ner information	
Date of issue		: 11/27/2018
Revision date		: 11/27/2018
Other information		: None.
Prepared by		: Nexreg Compliance Inc.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

www.Nexreg.com