Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

TABLE OF CONTENTS

SECTION	1		2
		AND OF THE COMPANY/UNDERTAKING	ــــــــــــــــــــــــــــــــــــــ
SECTION	2	HAZARDS IDENTIFICATION	2
SECTION	3	COMPOSITION/INFORMATION ON INGREDIENTS	3
SECTION	4	FIRST AID MEASURES	4
SECTION	5	FIREFIGHTING MEASURES	<u>5</u>
SECTION	6		5
SECTION	7	HANDLING AND STORAGE	5
SECTION	8	EXPOSURE CONTROLS/PERSONAL PROTECTION	6
SECTION	9	PHYSICAL AND CHEMICAL PROPERTIES	7
SECTION	10		7
SECTION	11	TOXICOLOGICAL INFORMATION	
SECTION	12	ECOLOGICAL INFORMATION	9
SECTION	13	DISPOSAL CONSIDERATIONS	9
SECTION	14	TRANSPORT INFORMATION	9
SECTION	15		
SECTION	16	OTHER INFORMATION	



According to the Hazard Communication

Standard (CFR29 1910.1200) HazCom 2015

Conpro Lastic

Safety Data Sheet

SECTION 1

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Form

Liquid

Product Name

Conpro Lastic

1.2 Relevant identified uses of the substance Or mixture and uses advised against

Use of Substance

Used as a paint-like material to change the color of the substrate while adding protection against water. For structures that are impractical to paint because of difficult access or concern of future maintenance.

1.3 Details of the supplier of the safety data sheet

 Conproco Corporation 17 Production Drive Dover, NH 03820

Telephone: 800.258.3500

1.4 Emergency telephone numbers

- CHEMTREC 800.725.7383
- CHEMTREC International +1.703.527.3887 24 hr

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

- Acute toxicity 1
- Skin irritation 1
- Serious eye damage 1
- Skin sensitization 1
- 2.2 Label elements

Hazard Pictograms



Hazard Statement

- Harmful if swallowed.
- Causes skin irritation.
- Causes serious eye damage.
- Can cause allergic skin reaction.
- May cause cancer.
- May cause respiratory irritation.
- Causes damage to organs through prolonged exposure.

Precautionary Statements

- Keep in original container.
- Do not eat, drink, or smoke when using these products.
- Wash hands thoroughly after handling.
- Do not handle until all safety precautions have been read and understood.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use in a well ventilated area.
- Absorb spillage to prevent material damage.
- If exposed or concerned: Get medical advice/attention.
- If swallowed: Immediately call a poison center/doctor. Rinse mouth.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Immediately call a poison center/doctor.
- If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation of rash occurs. Get medical advice/attention.
- If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
- Store locked up.
- Store in a well ventilated place.
- Keep container tightly closed.
- Dispose of contents and container in accordance with all local, regional, national, and international regulations.

2.3 Other hazards

Not Available.

DATE OF ISSUE: 06-08-2015

Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures ■ Conpro Lastic

3.2 Hazardous ingredients

Substance Name	CAS No.	Concentration %	GHS – US Classification
Ammonia	1336-21-6	< 1	Skin Irrit. 1 H324 STOT SE H335
Zinc Oxide	1314-13-2	< 3	Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 STOT SE 3 H335
Propylene Glycol	57-55-6	< 3	Skin Irrit. 1 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 STOT SE 3 H335

Exact percentages of concentration are withheld as a trade secret In accordance with paragraph (I) of §1910.1200.

According to the Hazard Communication

Standard (CFR29 1910.1200) HazCom 2015

Conpro Lastic

Safety Data Sheet

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Following inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Following skin contact

Remove contaminated clothing and safely dispose of. After contact, wash with soap immediately.

Following eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

Following ingestion

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms –

Injury after inhalation

May cause respiratory tract irritation.

Symptoms –

Injury after skin contact

- Causes skin irritation.
- Do not allow product to have prolonged contact with skin.
- Handling can cause dry skin.
- May cause sensitization by skin contact.

Symptoms – Injury after eye contact

- Causes serious eye damage.
- Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms –

Injury after ingestion Harmful if swallowed.

May cause stomach distress, nausea or vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

- Symptoms may not appear immediately.
- In case of accident or if you feel unwell, seek medical advice immediately.

According to the Hazard Communication

Standard (CFR29 1910.1200) HazCom 2015

Conpro Lastic

Safety Data Sheet

SECTION 5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

- Use dry chemical, carbon dioxide, foam or water to extinguish.
- Foam or water may create a slippery condition; spread sand or grit.

Unsuitable extinguishing media

- None.
- 5.2 Special hazards arising from the substance or mixture

Fire Hazard

No specific fire or explosion hazard.

5.3 Advice for fire-fighters

Firefighting instructions

None, unless mixed with flammable materials.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

General procedure

- Use personal protection recommended in Section 8.
- Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 Methods and materials for containment and cleaning up

For containment

- Contain spill, then place in a suitable container.
- Do not flush to sewer or allow to enter waterways.
- Use appropriate personal protection.

Methods for cleaning up

- Water contaminated with this product may be sent to a sanitary treatment facility in accordance with a local permit, to a treatment facility or discharged under a NPDES permit.
- Dispose of all waste in accordance with local, state, and federal regulations.

6.3 Reference to other sections

No additional information.

SECTION 7 HANDLING & STORAGE

7.1 Precautions for safe handling

- Avoid contact with skin and eyes.
- The use of compressed air for cleaning clothing, equipment, etc., is not recommended.
- Handle and open container with care.
- When using, do not eat, drink or smoke.

Hygiene measures

- Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
- Appropriate techniques should be used to remove potentially contaminated clothing.
- Wash contaminated clothing before reusing.
- Ensure that eyewash stations and safety showers are close to the workstation location.

7.2 Conditions for safe storage, including any incompatibility

Storage conditions

- Keep out of the reach of children.
- Store in tight, dry, labelled containers.
- Keep container tightly closed when not in use.
- Keep in well ventilated area.
- Do not store in an area equipped with emergency water sprinklers.
- Store at temperatures between 40°F and 120°F.

7.3 Specific end uses

No additional information.

Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 8 EXPOSURE CONTROLS PERSONAL PROTECTION

8.1 Control parameters

Propylene Glycol (57-55-6)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	Not available
Zinc Oxide (1314-13-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³
Ammonia (1336-21-6)		
USA ACGIH	ACGIH TWA (mg/m ³)	17 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	24 mg/m ³

8.2 Exposure controls

Appropriate engineering controls

Use adequate ventilation.

Personal protection equipment

Mask, gloves, safety glasses

Hand protection

Cloth gloves

Eye protection

Safety glasses

Skin and body protection

- Handle with good industrial hygiene and safety practice.
- Always wash hands after handling this product, and once again before leaving the workplace.
- Wear suitable protective clothing, and wash clothing before next use.

Respiratory protection

 Use NOISH-approved air-purifying or supplied air respirator.



Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Physical state liquid
- Appearance_____milk-like
- Color _____gray
- Odor_____mild
- Odor threshold _____n/a
- PH_____9.5
- Relative evaporation rate____<1 (Ether = 1)</p>
- Melting point_____n/a
- Freezing point ______n/a
- Boiling point_____n/a
- Flash point____>200°F
- Auto-ignition temperature_____n/a
- Decomposition temperature_____n/a
- Flammability (solid/gas)_____n/a
- Vapor pressure_____20 mm Hg @ 20°F
- Relative vapor density (20°C) ____n/a
- Relative density_____n/a
- Specific gravity 1.30
- Density_____n/a
- Solubility reducible by water
- Log Pow_____n/a
- Log Kow_____n/a
- Kinematic viscosity_____n/a
- Dynamic viscosity_____n/a
- Explosive properties_____n/a
- Oxidizing properties _____n/a
- Explosive limits_____n/a

9.2 Other information

No additional information.

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

- No dangerous reaction will occur under normal circumstances.
- 10.2 Chemical stability
 - No data available.
- 10.3 Possibility of hazardous reactions
 - None.
- 10.4 Conditions to avoid
 - None.
- 10.5 Incompatible materials
 - None.

CONPROCO®

Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 11 TOXICOLOGICAL INFORMATION

11.1	Information	of toxico	logical	effects
		01 00/000		0110000

	LD50 Oral	Rabbit	18500 mg/kg
ects	Ammoni	a (1336-21-6)	
	LD50 Oral	Rabbit	350 mg/kg
	Zinc Oxio	de	
	LD50 Oral	Rabbit	7950 mg/kg
	Skir	corrosion – irritation Causes skin irritation.	
	Ser	i ous eye damage – irrit Causes serious eye dama	
	Res	piratory of skin sensiti May cause an allergic sk	
	Ger	m cell mutagenicity Classification criteria not	: met.
	Car	cinogenicity May cause cancer.	
	Rep	roductive toxicity Classification criteria not	: met.
		cific target organ toxic gle exposure) May cause respiratory in	-
	-	cific target organ toxic peated exposure) Can cause damage to or prolonged or repeated e	gans through
	May cause	respiratory tract irritatior	1
	Causos skir	irritation Do not allow	product to bave

Propylene Glycol (57-55-6)

Symptoms – injuries after skin contact	Causes skin irritation. Do not allow product to have Prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
Symptoms – injuries after eye contact	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms – injuries after ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Other information	Likely routes of exposure: ingestion, inhalation, skin and eye.

DATE OF ISSUE: 06-08-2015

Symptoms – injuries after inhalation

Symptoms

conproco[®]

Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Ecological – general

- No ecological consideration when used according to directions.
- Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

12.2 Persistence and degradability

- N/a
- 12.3 Bioaccumulative potential
 - N/a
- 12.4 Mobility in soil
 - N/a
- 12.5 Other adverse effects

N/a

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal recommendations

- The generation of waste should be avoided or minimized wherever possible.
- Empty containers or liners may retain some product residues.
- This material and its container must be disposed of in a safe way.
- Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
- Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
- Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14 TRANSPORT INFORMATION

- 14.1 UN number

 Not available.

 14.2 UN proper shipping name

 Not available.

 14.3 Additional information

 None.

Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Propylene Glycol (57-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ammonia (1336-21-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Zinc Oxide (1314-13-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Conpro Lastic	
State or local regulations	This product contains no hazardous chemicals that could not be treated by a water treatment facility.
Carcinogenic classification	
IARC (I)	International Agency for Research on Cancer
	1 – Carcinogenic to humans
	2A – Probably carcinogenic to humans
	2B – Possibly carcinogenic to humans
	3 – Not classifiable
	4 – Probably not carcinogenic to humans
NTP (N)	National Toxicology Program
	1 – Evidence for carcinogenicity
	2 – Known human carcinogen
	3 – Reasonably anticipated to be Human Carcinogen
	4 – Substances delisted from report on Carcinogens
	E Twelfthe Depart items worder consideration

Conpro Lastic

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

SECTION 16 OTHER INFORMATION

- **16.1 Other information**
 - This document was created in accordance to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. CONPROCO ASSUMES NO LIABILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS WITH THE USE OF THE MATERIAL.



17 Production Drive, Dover, NH 03820 TELEPHONE 800.258.3500 • FAX 603.743.5744 • WEB ADDRESS www.conproco.com