

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 1 of 13

Table of Contents

SECTION 1:	Identification of the substance/mixture and of the company/undertaking	2
SECTION 2:	Hazards identification	2
SECTION 3:	Composition/information on ingredients	3
SECTION 4:	First aid measures	4
SECTION 5:	Firefighting measures	5
SECTION 6:	Accidental release measures	6
SECTION 7:	Handling and storage	6
SECTION 8:	Exposure controls/personal protection	7
SECTION 9:	Physical and chemical properties	8
SECTION 10:	Stability and reactivity	9
SECTION 11:	Toxicological information	10
SECTION 12:	Ecological information	11
SECTION 13:	Disposal considerations	11
SECTION 14:	Transport information	12
SECTION 15:	Regulatory information	12
SECTION 16:	Other information:	13

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 2 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form : Powder Mixture

Product Name : ProMasonry Mortar Mix

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of substance : For laying brick, block and stone, or pointing, plastering and stuccoing.

1.3 Details of the supplier of the safety data sheet:

Supplier:

Conproco Corporation
17 Production Drive
Dover, NH, 03820
T- 800.258.3500

1.4 EMERGENCY TELEPHONE NUMBER:

Emergency Number : CHEMTREC 800.725.7383
: CHEMTREC International +1.703.527.3887 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Acute toxicity 4
Skin Irritation 2
Serious Eye Damage 1
Skin Sensitization 1
Carcinogenicity 1A

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 3 of 13

2.2 Label elements:

Hazard Pictograms:



Signal word:

Danger

Hazard statement:

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Can cause allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs through prolonged exposure

Precautionary statements:

Keep in original container. Do not eat, drink, or smoke when using these products. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use in a well ventilated area. Do not breathe dust. Absorb spillage to prevent material damage. If exposed or concerned: Get medical advice/attention. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs. Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store locked up. Store in a well ventilated place. Keep container tightly closed/ Dispose of contents and container in accordance with all local, regional, national, and international regulations.

2.3 Other hazards: Not Available

SECTION 3. Composition/information on ingredients

3.1 Mixtures:

Conproco ProMasonry Mortar Mix.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 4 of 13

3.2 Hazardous ingredients:

Substance name	CAS No.	Concentration %	GHS-US Classification
Crystalline Silica	14808-60-7	85-100	Acute Tox. 4 (oral) H302 Carc. 1A H350 STOT RE 1 H372
Masonry Cement, chemicals	65997-15-1	5-55	Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 STOT SE 3 H335
Exact percentages of concentration are withheld as a trade secret in accordance with paragraph (i) of §1910.1200			

SECTION 4: First aid measures

4.1 Description of first aid measures:

- Following inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell
- Following skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- Following eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
- Following ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 5 of 13

4.2 Most important symptoms and effects, both acute and delayed:

- Symptoms/injury after inhalation : May cause respiratory tract irritation.
- Symptoms/injury after skin contact : Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
- Symptoms/injury after eye contact : Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injury after ingestion : Harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3 Indication of any immediate medical attention and special treatment needed:

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately

SECTION 5: Firefighting measures

5.1 Extinguishing media:

- Suitable extinguishing media : Treat for surrounding material
- Unsuitable extinguishing media : None

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 6 of 13

5.2 Special hazards arising from the substance or mixture

Fire Hazard : Products of combustion include, but are not limited to: oxides of carbon.

5.3 Advice for fire-fighters:

Firefighting instructions : Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

General procedure : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel

6.2 Methods and material for containment and cleaning up:

For Containment : Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate personal protection

Methods for cleaning up : Vacuum or sweep material and place in a disposal container

6.3 Reference to other sections:

No additional information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid generating and breathing dust. Do not swallow. Good housekeeping is important to prevent accumulation of

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 7 of 13

dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Storage Conditions : Keep out of the reach of children. Store in dust-tight, dry, labelled containers. Keep container tightly closed when not in use. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.

7.3 Specific end uses:

No additional information

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Crystalline Silica (14808-60-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	(30)/(%SiO ₂ + 2) mg/m ³ TWA, total dust (250)/(%SiO ₂ + 5) mppcf TWA, respirable fraction (10)/(%SiO ₂ + 2) mg/m ³ TWA, respirable fraction

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 8 of 13

Masonry Cement, chemicals (65997-15-1)		
USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³

8.2 Exposure controls

Appropriate Engineering Controls	:	Use adequate ventilation. Avoid dust production.
Personal Protective Equipment	:	Dust mask, gloves, safety glasses
Hand Protection	:	Cloth gloves
Eye Protection	:	Safety glasses
Skin and Body Protection	:	Handle with good industrial hygiene and safety practice. Always wash hands after handling this product, and once again before leaving the workplace. Wear suitable protective clothing, and wash clothing before next use.
Respiratory Protection	:	Use NOISH- approved air-purifying or supplied air respirator where airborne concentrations of dust are expected to exceed exposure limits.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Physical State	:	Solid
Appearance	:	Powder
Color	:	Gray
Odor	:	N/A
Odor Threshold	:	N/A
pH	:	10 - 12
Relative Evaporation Rate	:	N/A
Melting Point	:	N/A
Freezing Point	:	N/A
Boiling Point	:	N/A

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 9 of 13

Flash Point	: N/A
Auto-Ignition Temperature	: N/A
Decomposition Temperature	: N/A
Flammability (solid/gas)	: N/A
Vapor Pressure	: N/A
Relative Vapor Density (20°C)	: N/A
Relative Density	: N/A
Specific Gravity	: N/A
Density	: N/A
Solubility	: Water: 0.1 - 1%
Log Pow	: N/A
Log Kow	: N/A
Kinematic Viscosity	: N/A
Dynamic Viscosity	: N/A
Explosive Properties	: N/A
Oxidizing Properties	: N/A
Explosive Limits	: N/A

9.2 Other information:

No Additional Information

SECTION 10: Stability and reactivity

10.1 Reactivity:

No dangerous reaction will occur under normal conditions.

10.2 Chemical stability:

Under normal conditions it will remain stable. Keep dry in storage.

10.3 Possibility of hazardous reactions:

No dangerous reactions will occur under normal use.

10.4 Conditions to avoid:

Moisture, and incompatible materials.

10.5 Incompatible materials:

Wet cement is alkaline and incompatible with acid, ammonium salts, and aluminium metal.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 10 of 13

10.6 Hazardous decomposition products:

May include: oxides of carbon.

SECTION 11: Toxicological information

11.1 Information of Toxicological Effects:

Acute Toxicity : Harmful if swallowed

Crystalline Silica (14808-60-7)	
LD50 Oral Rat	500 mg/kg

Skin corrosion/irritation : Causes skin irritation
Serious eye damage/irritation : Causes serious eye damage
Respiratory of skin sensitisation : May cause an allergic skin reaction
Germ cell mutagenicity : Classification criteria not met
Carcinogenicity : May cause cancer
Reproductive Toxicity : Classification criteria not met
Specific Target Organ Toxicity : May cause respiratory irritation
(Single Exposure)
Specific Target Organ Toxicity : Can cause damage to organs through prolonged or repeated exposure
(Repeated Exposure)

Symptoms	
Symptoms/injuries after inhalation	May cause respiratory tract irritation.
Symptoms/injuries after skin contact	Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 11 of 13

Symptoms/injuries after eye contact	Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1 Toxicity:

Ecological - general : No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

12.2 Persistence and Degradability:

Not readily biodegradable

12.3 Bioaccumulative Potential:

Not expected to bio - accumulate

12.4 Mobility in soil:

No data available

12.5 Other adverse effects:

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Waste Disposal Recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 12 of 13

SECTION 14: Transport information

14.1 UN Number:

Not available

14.2 UN Proper Shipping Name:

Not available

14.3 Additional Information:

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Crystalline Silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Masonry Cement (65997-15-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations:

Conproco ProMasonry Mortar Mix	
State or local Regulations	This product contains crystalline silica, and trace amounts of chemicals known to the State of California to cause cancer, birth defects, and reproductive harm.

Carcinogenic Classifications

IARC (I)	International Agency for Research on Cancer
	1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.
17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820
TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com

PROMASONRY®

ProMasonry Mortar Mix Type S and Type N

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of Issue: 06/08/2015

Page 13 of 13

	3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP (N)	National Toxicology Program
	1 – Evidence fo Carcinogenicity 2 – Known Human Carcinogens 3 – reasonably anticipated to be Human Carcinogen 4 – Substances delisted from report on Carcinogens 5 – Twelfth Report – Items under consideration

SECTION 16: Other information:

Other Information : This document was made in accordance to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015